

# INDEX MAPS.

## T. 32N, R. 8E. 2<sup>nd</sup> Mer.

	298	297	297	297	296	296						
299	6	324	5	317	4	314	3	310	2	305	1	293
	322	323		317		313		309		305		
299	7	323	8	317	9	313	10	308	11	305	12	294
	322	322		316		313		308		304		
300	18	321	17	316	16	312	15	308	14	304	13	294
	321	321		316		312		307		303		
300	19	320	20	315	21	312	22	307	23	303	24	295
	320	319		315		311		307		303		
301	30	319	29	315	28	311	27	306	26	302	25	295
	319	318		315		310		306		302		
301	31	318	32	314	33	310	34	306	35	302	36	295
	293	293		292		292		291		291		

standards 324

Meanders 324

## T. 33N, R. 8E. 2<sup>nd</sup> Mer.

	337		336		336		336		335		335	
338	6	374	5	372	4	370	3	350	2	345	1	333 334
	373		373		371		371 350		349		344	
338	7	372 365	8	371 359	9	370 354	10	349	11	344	12	333 334
	364		364		358		354		349		344	
338	18	364	17	358	16	353	15	348	14	343	13	333 334
	363		362		357		353		348		343	
339	19	362	20	357	21	352	22	347	23	343	24	333 334
	361		361		356		352		347		342	
339	30	360	29	356	28	351	27	346	26	342	25	332 334
	360		359		355		351		346		341	
340	31	359	32	353	33	351	34	345	35	340	36	332 335
	331		330		330		330		329		329	

Meanders 360, 373

Meanders 366, 375

The figures on the lines refer to the page.

Township N 33. North of Range N 8 E 2<sup>nd</sup> Mer. Indiana

South Boundary,

- Note On South Boundary of Sec. 36.
18. 50 Leave Lake Sec. post. & Enter swamp.  
an Elm 16 in. diam. bears N 69 W 57 links dis 3 &  
a Willow 0 " " " S. 85 W. 29 " "
20. 00 Leave Willow Swamp
28. 00 A Poplar 18 in. diam. & Enter Willow Swamp.
- 35 50 Leave swamp.
40. 00 Set a Sec. post from which  
a W. Oak 10 in. diam. bears N 8 1/2 E 93 links dis 2 &  
a Hickory 10 " " " N 75 W 52 " "
60. 50 A W. Oak 40 " "
68. 20 To Marsh. A small Lake about 10 ch. South and  
and another about the same dis. N E.
70. 00 Leave the Marsh
- 80 00 Set a Post cor. to Secs 35 & 36 from which  
a W. Oak 30 in. diam. bears N 30 3/4 E 73 links dis 3 &  
a Do 18 " " " N. 40 W 65 " "  
Land quite rolling Soil good well timbered  
mostly W. Oak & Hickory. Vines. Saparas. Coffeenus.

- Note On South Boundary of Sec 35.
28. 29 A B. Oak 16 in. diam.
29. 00 Swamp.
39. 50 Leave Do. B. Ash. &c.
40. 00 Set a q. Sec. post from which  
Buck 19 in. diam. bears N 79 1/4 W 70 links dis 2 &  
a Do 13 " " " N. 33 E. 28 " "
58. 00 An Indian Trail. S E.
- 60 65 A W. Oak 16 in. diam.
74. 00 Willow & Rose swamp
80. 00 Set a post cor. to Secs 34 & 35 from which  
an Elm 6 in. diam. bears N 35 W 22 links dis 2 &  
a Maple 6 " " " N 44 E 14 " "  
Land similar. Timber. Oak. & Hickory. Ash. Buck  
Poplar. Walnut, &c.



T33 N. R & E 1<sup>st</sup> Mer. Indiana.

- Note On South Boundary of Sec 34.  
 3. 50 Leave the swamp.  
 22. 75 An Elm 18 in. diam.  
 40. 00 Set a g. Sec post from which  
 a W. Oak 14 in. diam. bears N 76 $\frac{1}{2}$  W 54 links dist &  
 a B. Oak 20 " " " North 57 " "  
 42. 00 Willon & Rose Swamp.  
 48. 00 Leave Do  
 67. 98 A W. Ash 18 in. diam.  
 80. 00 Set a g. Sec post Cor. to Secs 33 & 34 from which  
 a W. Oak 30 in. diam. bears N 67 $\frac{1}{2}$  E 59 links dist &  
 a Buck 16 " " " N 9 W 26 " "  
 East of the Swamp Land the same West of the swamp  
 Rolling 1<sup>st</sup> rate. Timber. Buck. Walnut. Ash.  
 Hickory. Poplar &c.

- Note On South Boundary of Sec 33.  
 12. 64 Sp. Oak 48 in. diam.  
 40. 00 Set a g. Sec post from which  
 an Elm 8 in. diam. bears N 33 E 22 links dist &  
 a Buck 20 " " " N 38 $\frac{1}{2}$  W 59 " "  
 42. 47 A Buck 36 " "  
 65. 00 Willon & Rose Swamp.  
 71. 50 Leave Do. mostly lying N W  
 80. 00 Set a Post Cor. to Secs 32 & 33 from which  
 a W. Ash 14 in. diam. bears N 76 $\frac{1}{2}$  E 49 lks. dist &  
 a W. Oak 16 " " " N 36 W 73 " "  
 Upland Rolling 1<sup>st</sup> rate. Timber. Buck. Ash.  
 Oak Hickory. Elm. Walnut. Poplar &c. &c.

- Note On South Boundary of Sec 32.  
 36. 01 A Buck 14 in. diam.  
 40. 00 Set a g. Sec post from which  
 a Buck 14 in. diam. bears N 81 $\frac{3}{4}$  E 49 links dist &  
 a W. Ash 14 " " " N 39 W 22 " "  
 77. 97 A Buck 15 " "

T33. N R & E. 2<sup>nd</sup> Mer. Indiana.

50.00 Set a Post cor. to Sec. 32 & 31. from which  
 a B. Ash 17 in. diam. bears N 83 1/2° W 57 links dist. &  
 a Beech 18 " " " N 59 1/2° E 35 " "  
 Land Rolling & 2<sup>nd</sup> rate. Timber. Beech. Ash. Hickory  
 Elm. &c. &c. Oct 3<sup>d</sup>

West On South Boundary of Sec. 31.  
 18.20 A Beech 10 in. diam.  
 26.20 A B. Oak 30 " "  
 40.00 Set a q. Sec post from which  
 a W. Ash 18 in. diam. bears N 76° E 89 links dist. &  
 an R. Oak 36 " " " N 75° W 42 " "  
 50.50 Marsh  
 59.00 North border of Marsh  
 61.87 An Aspen 13 in. diam.  
 63.00 Marsh  
 70.00 Scarce same  
 71.08 Intersect the West Boundary 8.88 links North  
 of Tenn's Venn Corner, or at the end of 5 miles  
 71 ch. & 12 links. Set a Post from which  
 a W. Oak 18 in. diam. bears S. 46° E 56 links dist. &  
 a Y. Oak 20 " " " S 72 1/2° W 29 " "  
 East of Marsh. Land &c. similar. Some parts  
 of it is 1<sup>st</sup> rate. Var. 7.00' E

Having found by sad experience that I could  
 place no dependence on the course & length of  
 the lines in the old survey as represented on  
 my diagram & being determined to go through  
 with Venn 33. if possible to straighten the work  
 I accordingly run the West Boundary of this  
 Venn South & established it just 5 miles  
 intending to close the South Boundary by  
 Random East & correcting West from Post to  
 Post. I with this intention ran with care  
 East at a Var. of 5.45' at end of 5 miles 71.08.

## T33. N. R. 8 E. Twp. 19 N. Indiane.

Intersected to my utter consternation 19.50 South of Corner, 111. So run the line West as representing and moved the post on the West Boundary to their proper places. I spent nearly  $\frac{1}{2}$  a day in ascertaining the true corner. & that I should be certain I went to the  $9^{\text{th}}$  Sec. post South Boundary of Twp. 31 N. R. 9 E. Ran East to a Station true & found the bar to be 5.25. Then ran the line out West by offsets to the South at 4139 established Range line & commenced the South Boundary of this Town from it Surely so gross an error must have been detected in subdividing Range 9.

Surveyed by  
Robert Clark Jr. D.S.

East Boundary.	
North.	On East Boundary of Sec 36. var 5.30 E On Random
40.00	Set Temp <sup>o</sup> of the post in Lake
57.71	Set Temp <sup>o</sup> Post on the North side of Lake This Lake was shaped by an Offset from the $\frac{1}{2}$ mile in the 6 <sup>th</sup> mile of the W line in Range 9. East 57 chains & 71 links North. Thence West 40 ch <sup>2</sup> to true line on Random
60.00	June 27 <sup>th</sup>
61.00	Enter Willow Swamp
66.00	Leave Do
71.00	Enter S. Prairie
80.00	Set Temp <sup>o</sup> Post Cor. to Sec. 25 & 36.
North	On Random. On East Boundary of Sec 25.
2.00	Leave West Prairie
28.00	Enter West Prairie
33.42	An Outlet to Lake 50 links wide. Course N.W.
40.00	Set a Temp <sup>o</sup> of the post & leave the Prairie.



333

T33. N. R & E 2nd Mer. Indiana.

80.00 Set a Temp<sup>o</sup> Post Cor. to Sec<sup>s</sup> 24 & 25.  
Land rolling & moderate. Timber. Oak & Hickory;  
Underg<sup>th</sup> Clapnetas & Muske.

North On Random on East Boundary of Sec 24.

40.00 Set a Temp<sup>o</sup> of Sec post.

41.00 Enter Prairie.

77.00 Leave same

80.00 Set a Temp<sup>o</sup> Post Cor. to Sec<sup>s</sup> 13 & 24.  
The Land moderate with groves of Oak Timber.

North On Random On East Boundary of Sec 13

0.02 A trail East.

9.77 Set a Temp<sup>o</sup> Post on the South side of Lake.

40.00 Set Temp<sup>o</sup> of Sec. post. in Lake

80.00 Cor of Sec<sup>s</sup> 12 & 13 in swamp on North side  
of Lake

Land Lake & swamp

This Lake was passed by an Officer West 25 ch.  
Thence North 87 ch. & 23 links. Thence East to  
Random. Swamp too bad to enter sooner.

North On Random On East Boundary of Sec 12

31.75 Leave S. Prairie

40.00 Set a Temp<sup>o</sup> of Sec post.

80.00 Set a Temp<sup>o</sup> Post cor. to Sec<sup>s</sup> 1 & 12

Land except Prairie & Lake, 2<sup>nd</sup> rate. Thinly  
timbered with Oak & Hickory.

North On Random On East Boundary of Sec 1.

33.00 A trail. SE

40.00 Set a Temp<sup>o</sup> of Sec post.

79.00 Intersect the North Boundary & chain 439 links  
East of the Post.

Land &c as before.



# T<sup>o</sup> A R & C I<sup>na</sup> Mer. Indiana.

South Connected On East Boundary of Sec 1.  
 39. 60 Set a gr. Sec post from which  
 a W Oak 23 in. diam. bears S. 52 W 3. 46 links dist &  
 a Hickory 5 " " " N. 6 W 2 16 " "  
 79. 60 Set a Post cor. to Sec 1. & 2. from which  
 a B. Oak 40 in. diam. bears N. 58 W. 47 links dist &  
 a W. Oak 17 " " " S. 0 W. 2. 42 " "  
 No sight trees on the line

South On True line On East's Boundary of Sec 12.  
 40. 00 Set a gr. Sec post from which  
 a W. Oak 33 in. diam. bears N. 38 W. 32 links dist &  
 a Do 34 " " " S 49 W 108 " "  
 80. 00 Cor. to Sec 24 & 25 on edge of Lake, in swamp  
 impassable.

South On True line On East's Boundary of Sec 13.  
 40. 00 Cor. to gr. Sec in Lake  
 70. 40 Set a post on the South side of Lake from which  
 a Maple 18 in. diam. bears S. 13 E. 46 links dist &  
 a W. Oak 12. " " " S 10 W 62 " "  
 80. 00 Set a Post Cor. to Sec. 13 & 24 from from which  
 an Elm 36 in. diam. bears S. 35 W. 3 links dist &  
 a Burr Oak 18 in. " " " N 28 W 75 " "

South On East Boundary of Sec 24. On True line.  
 40. 00 Set a gr. Sec post from which  
 a Poplar 30 in. diam. bears N. 71 W. 46 links dist &  
 a B. Oak 22 " " " N. 22 W. 66 " "  
 48. 50 A Hickory 12 " "  
 80. 00 Set a Post cor. to Sec. 24 & 25 from which  
 a W. Oak 40 in. diam. bears S. 4 W. 52 links dist &  
 an R. Oak 15 " " " N. 89 W 21 " "

South On True line On East Boundary of Sec 25.  
 19. 41 A B. Oak 25 in. diam.

# T. B. N. R. & Co. Driller Indiana.

335

- 10.00 Set a q. Sec. post from which  
a Burr Oak 18 in. diam. bears N 77 W 3 links dist. &  
a W. Oak 30 " " " N 9 W 53 " "
- 54.55 A W. Oak 40 " "
- 80.00 Set a Post cor. to Sec. 25 & 36 from which  
an Elm 12 in. diam. bears N. 2 E. 2.16 links dist. &  
a Willow 4 " " " N 6 W 2.19 " "

South On True line On East Boundary of Sec 36  
22.29 Set Post on North Bank of Lake from which  
a B. Walnut 14 in. diam. bears S 72 E 11 links dist. &  
a B. Oak 24 " " " N. 5 W 25 " "

Balance of this line in Lake. June 28<sup>th</sup> 1829.

- North Boundary. var. 5.20' E
- West On South Boundary of Sec 36 T 34 N R 8 E.  
21.55 A Hickory 12 in. diam.  
10.00 Set a q. Sec. post from which  
a W. Oak 24 in. diam. bears N. 25 E. 1.45 links dist. &  
a Do 36 " " " S 50 W 87 " "
- 58.84 A W. Oak 18 " "
- 80.00 Set a Post cor. to Sec. 35 & 36 from which  
a Poplar 36 in. diam. bears N 54 E 1.05 links dist. &  
a Hickory 9 " " " N. 81 W. 47 " "
- Land rolling & 2<sup>nd</sup> rate. Timber Oak.  
Underg<sup>th</sup> Maple & Oak

- West On South Boundary of Sec 35. T 34 N R 8 E.  
21.70 A W. Oak 22 in. diam.  
32.55 A Do 18 " "
- 38.25 Enter Tamarac Swamp.
- 40.00 Set a q. Sec. post from which  
a S Ash 18 in. diam. bears N. 88 E. 2.5 links dist. &  
a Tamarac 6 " " " N 70 W 35 " "
- 61.50 Leave Tim<sup>e</sup> Swamp.
- 65.00 An Elm 18 in. diam.

T 33 N. R. 8 E 2<sup>nd</sup> Mer. Indiana.

80. 00 Set a Post cor. to Sec. 34 & 35 from which  
 a B. Ash 12 in. diam. bears N 77 E 12 links dist. &  
 a Buck 18 " " " N 88 W 55 " "  
 Land level & 2<sup>nd</sup> rate. Timber. Oak Ash & Buck  
 Underg<sup>th</sup> Spruce & Hickory.

Note On South Boundary of Sec 34. T 34 N R 8 E,  
 24 82 An Elm 15 in. diam.

35. 33 A Buck 30 " "

40. 00 Set a q. Sec. post from which  
 a Buck 20 in. diam. bears N 58 E 28 links dist. &  
 a Q. 16 " " " N 75 W 41 " "

50 00 Enter Barrens

56. 96 A Trail S. E. & Leave Barrens.

80. 00 Set a Post cor. to Sec. 33 & 34 from which  
 a B. Oak 42 in. diam. bears S 68 E 66 links dist. &  
 a Q. 36 " " " S. 10 E 17 " "  
 Land level & 2<sup>nd</sup> rate. Timber. Poplar. Buck  
 & Elm. Underg<sup>th</sup> Spruce.

Note On South Boundary of Sec 33. T 34 N R 8 E.  
 18. 83 S. Ash 33 in. diam.

30 33 An H. Oak 40 " "

40. 00 Set a q. Sec. post from which  
 a B. Walnut 24 in. diam. bears N 67 E 73 lks. dist. &  
 an Elm 14 " " " N 76 W 23 " "

75 12 A W. Oak 26 " "

80. 00 Set a Post cor. to Sec. 32 & 33 from which  
 a W. Oak 24 in. diam. bears N 67 E 64 links dist. &  
 a Poplar 24 " " " N 31 W 36 " "  
 Land &c as before.

Note On South Boundary of Sec 32 T 34 N R 8 E.

14. 23 A B. Oak 21 in. diam.

15 50 Enter wet Prairie

27. 00 Leave same

T 33. N. R 8 E 2<sup>nd</sup> Mer. Indiana.

337

- 38.50 Enter Wet Prairie  
 40.00 Set a g. Sec post from which  
 a B. Oak 22 in. diam. bears N. 78 E. 94 links dist &  
 a W. Oak 18 " " " N. 45 E. 134 " "  
 42.50 Set a Post on the NE Bank of Lake. no trees  
 52.54 Set a Post on the Bank (SW) of Lake from which  
 a B. Oak 21 in. diam. bears West 2.6 links dist &  
 This Lake was passed by an Offset of 5 chains  
 North. Thence 10 ch. & 4 links West Thence  
 South 5 chains to line  
 55.14 Leave the Prairie  
 67.93 A Nail. A W.  
 70.31 A W. Oak 22 in. diam.  
 80.00 Set a Post Cor. to Sec. 31 & 32 & 33 from which  
 a W. Oak 14 in. diam. bears N. 62 E. 6 links dist &  
 a D. 20 " " " N. 65 W. 83 " "  
 Land rolling 2<sup>nd</sup> rate. Timber. Open Oak  
 Open woods.

- Wet On South Boundary of Sec. 31. T 34 N R 8 E.  
 28.73 A Ash 24 in. diam.  
 40.00 Set a g. Sec post from which  
 a Beech 26 in. diam. bears N. 69 E. 12 links dist &  
 an Ironwood 7 " " " N. 64 W. 57 " "  
 57.23 A Beech 24 " "  
 70.50 A Sycamore 40 " "  
 80.00 Set temp. post

Land Rolling 2<sup>nd</sup> rate. Timber. Ash & Beech  
 Underg<sup>th</sup>. Ash, Dogwood & Sugar.

Surveyed by  
 David Willis D. S.

Wet Boundary



## T 33 N. R 8 E Qma Mer. Indiana.

South On East Boundary of Sec 1. T. 33. N. R 7 E.

17. 35 A Beech 18 in. diam.

31. 12 Set a q. Sec post from which  
a Sycamore 12 in. diam. bears S. 21 W. 31 links dist &  
a W. Ash 8 " " " S 48 W 49 " "

70. 53 A W Oak 24 " "

73. 00 Mullen Swamp

71. 12 Set a Post cor. to Sec. 1 H 2 from which  
an Elm 10 in. diam. bears S 70 W 8 links dist &  
an Asp. 14 " " " S 64 W 58 " "

Land rolling good soil. Timber. Beech. Oak.

Ash, Elm &c. &c. Been Burned. Underg.

Prickly Ash. Paper-pine. & Nettles &c.

South On East Boundary of Sec 12. T 33. N R 7 E.

25 48 Intersect the South Boundary of Haskell's  
Reserve 2 mile 54 ch. & 07 links East of the S. W.  
corner. Set a Post from which  
an Elm 12 in. diam. bears S. 17 W. 82 links dist &  
a W. Ash 14 " " " S 38 E 78 " "

26. 00 Leave the swamp.

40 00 Set a q. Sec post from which  
an R. Oak 14 in. diam. bears N 62 W 56 links dist &  
a W. Ash 10 " " " N 53 W 66 " "

41 52 A W Oak 28 " "

61. 42 A W. Ash 15 " "

S E

63. 00 Indian Trail from Chuk. Prairie to St. Wayne

80 00 Set a Post cor. to Sec. 12 H 3 from which  
a Sassafras 10 in. diam. bears N. 88 W. 80 links dist &  
a Hickory 20 " " " S 57 W 72 " "

Land &c. similar

South On East Boundary of Sec 13. T 33. N R 7 E

8. 00 Enter Barrens

27. 00 Marsh

39. 60 A Brook 3 links wide. Course N E. Spring water

339

T 33 N R 8 E. Ind. Mer. Indiana.

- 40.00 Set a q. Sec. post from which  
a W Oak 11 in. diam. bears N. 4 1/2 E. 851 links dist. &  
a W Oak 24 " " " S 73 1/2 W 422 " "
- 54.50 Springy Bottoms
- 59.00 Tippecanoe River 25 links wide. Course N. N. W.
- 64.00 Scarce Bottoms
- 65.13 A W Oak 12 in. diam.
- 77.00 To Marsh
- 80.00 Set a Post cor. to Sec. 13 & 24 from which  
a W Oak 12 in. diam. bears West 79 links dist. &  
a Do 10 " " " S 13 W 63 " "  
Land belly Barrens - poor soil. thinly timbered  
with W & Y Oak

- South On East Boundary of Sec 24 T 33 N R 7 E.
- 0 50 Scarce Marsh
- 25.77 A W Oak 30 in. diam.
- 28.39 A W Oak 13 " "
- 40.00 Set a q. Sec. post. from which  
a W Oak 16 in. diam. bears N. 58 W. 10 links dist. &  
a Do 12 " " " S 77 W 71 " "
- 45 50 An Indian Trail S W
- 55.12 A W Oak 20 in. diam.
- 59.00 Marsh
- 70.50 A Brook 6 links wide. Course S W Sluggish.
- 80.00 Set a Post cor. to Sec. 24 & 25 from which  
a W Oak 12 in. diam. bears S. 62 W. 88 links dist. &  
a Do 15 " " " S. 9 W. 70 " "  
Land is similar

- South On East Boundary of Sec 25. T 33 N R 7 E.
- 0 50 Scarce the Marsh.
- 29.00 Marsh. Rolling & Springy.
- 40.00 Set a q. Sec. post from which  
a W Oak 30 in. diam. bears N 50 W 182 links dist. &  
a Tamarac 10 " " " S. 4 1/2 W 227 " "

T 33 N. R 8 E. 2<sup>nd</sup> Mer. Indiana.

- 47.00 Leave the Marsh  
 58.00 Marsh  
 69.00 A Brook 8 links wide. Course N 70° E. Good current.  
 74.00 Same " " " " N 70° } Durable  
 74.30 Same " " " " N 70° } Water  
 80.00 Set a Post. cor. to Sec. 25 & 36 on the South border  
 of Marsh, from which  
 a W. Oak 24 in. diam. bears N 86° W 19 links dist. &  
 a G. 14 " " " " S 13 1/2° W 107 " "  
 Land &c similar.

- South On East Boundary of Sec. 36 T 33 N R 7 E.  
 0 67 A Y. Oak 14 in. diam.  
 23.84 A Y. Oak 19 " "  
 29.00 Leave Barrens & enter rich heavy timbered land.  
 40.00 Set a Post from which  
 a Sp. Oak 18 in. diam. bears N 52° W 48 lks dist. &  
 a Sugar 15 " " " " S 73° W 40 " "  
 72.00 Dry channel of a Brook 10 links wide. Course N 70° W.  
 A Drain to Mullen & swamp lies S E.  
 80.00 Town Corner.  
 Barrens level & well timbered with W. & Y. Oak.  
 South of Barrens. mostly rolling 1<sup>st</sup> rate. Timber  
 Buck. Oak Walnut. Hickory. & Iron channel  
 of Brook. Oak Land. Var. 6.° 00' E.  
 Oct 1<sup>st</sup> 1834. Surveyed by  
 Robert Clark Jr. D. Y.

## Subdivisions

- North Between Sec. 35 & 36  
 10.00 To Marsh  
 19.50 Intersect South Lake & set a Post. from which  
 an Elm 5 in. diam. bears N 89° W 20 links dist.  
 No other tree near  
 31.03 Over Lake & set a Post from which  
 a Maple 7 in. diam. bears N 22° E 20 links dist. &

# T 33. N. Q & E 2<sup>nd</sup> Mer. Indiana.

341

- a Willow 4 in. diam. bears N 9 $\frac{1}{2}$  W 24 links dist.  
 34.00 Leave the swamp.  
 38.11 A W. Oak 36 in. diam.  
 46.00 Set a gr. Sec. post from which  
 a W. Oak 18 in. diam. bears N 12 W 8 $\frac{1}{2}$  links dist &  
 a Dogwood 6 " " " S 7 $\frac{1}{2}$  E 4 " "  
 51.31 A Hickory 18 " "  
 66.20 A Do 18 " "  
 80.00 Set a Post cor. to Sec. 25 E 35 & 36 from which  
 an Ironwood 8 in. diam. bears N 46 $\frac{3}{4}$  E 39 lks. dist &  
 a Beech 26 " " " S 69 W 20 " "  
 Land 2<sup>nd</sup> rate. Rolling. Timber. Oak, Beech  
 and Hickory, Ironwood, &c. July 2<sup>d</sup> 1834.

- East On Random between Sec. 25 & 36  
 23.50 A Brook 3 links wide. course N E.  
 31.00 Do 2 " " " S E  
 43.27 Do 5 " " " N E.  
 52 $\frac{1}{4}$  To West side of Lake.  
 62.40 Over Lake  
 77.00 Enter Swamp.  
 81.40 Intersect the N & S line 65 links N of the Post.

- West Corrected between Sec. 25 & 36.  
 10.56 A W Oak 36 in. diam.  
 19.00 To Lake & set a Post from which  
 a Sycamore 12 in. diam. bears N 2 $\frac{1}{2}$  E 25 links dist  
 & a Do 11 " " " S 8 $\frac{1}{2}$  E 60 " "  
 28.50 Over Lake & set a Post from which  
 a W. Oak 6 in. diam. bears N 10 W 22 $\frac{1}{2}$  lks dist &  
 a Hickory 12 " " " S 61 $\frac{1}{2}$  W 73 " "  
 34.44 A Beech 10 " "  
 40.73 Set a gr. Sec. post at area. dist from which  
 a Beech 12 in. diam. bears N 61 $\frac{1}{2}$  E 9 links dist &  
 an Elm 20 " " " S 9 $\frac{1}{2}$  W 61 " "  
 43.65 An Elm 12 " "



T<sup>33</sup>. N. R. & E. 2<sup>nd</sup> Mer. Indiana.

53.88 A W. Oak 24 in. diam.

81.40 To the corner.

Land Broken & 2<sup>nd</sup> rate. Timber. Oak. Ash.  
Elm. Hickory. Sapafros. Briers. Vines &c.

North Between Sec. 25 &amp; 26.

9.84 An Elm 30 in. diam.

16.02 A Hickory 14 " "

40.00 Set a gr. the post from which

a Buck 18 in. diam. bears N 72 E 33 links dist &amp;

a Do 17 " " " S 21 1/2 W 28 " "

52.08 A Syc 21 " "

62.75 A Buck 18 " "

67.20 A Brook 2 links wide. Course N E.

73.50 To Swamp.

80.00 Set a Post cor. to Sec. 23 24 25 &amp; 26 from which

a B. Ash 12 in. diam. bears N 39 E 20 1/2 links dist &amp;

a Do 8 " " " S 84 E 1.77 " "

Land Rolling 2<sup>nd</sup> rate. Timber. Ash Buck.  
Syc Oak. Sapafros. Maple. &c.

East On Random between Sec. 24 &amp; 25

2.50 Leave the Marsh

52.00 A Brook 30 links wide. Course N W.

80.83 Intersect. East Boundary 1.16 links North  
of the Post.

West Connected between Sec. 24 &amp; 25.

28.74 A W. Ash 18 in. diam.

40.41 1/2 Set a gr. the post at aver. dist from which

a Sugar 12 in. diam. bears N 34 E 21 links dist &amp;

a Buck 0 " " " S 21 E 18 " "

46.10 A Syc 48 " "

64.41 A Buck 10 " "

67.77 A B. Oak 18 " "

80.83 To the corner.

T 33. N R 8 E 2<sup>nd</sup> Mer. Indiana.

343

Land Rolling 4<sup>th</sup> note. Timber. Ash - Beech Oak.  
 & Ironwood. Underg<sup>th</sup>. & pice. &c.

July 3<sup>rd</sup> 1834.

North Between Secs. 23 & 24.

3 00 Leave the Marsh

18. 21 A Beech 12 in. diam.

25. 57 A Creek 25 links wide. Course West.

40. 00 Set a g. Sec post from which  
 a Burr Oak 10 in. diam. bears N 69 W 12 links dist.  
 a Burr Oak 36 " " " N 57 1/2 E 30 " "

61. 07 A W. Oak 18 " "

80. 00 Set a Post cor. to Secs. 13. 14. 23 & 24 from which  
 a W. Oak 12 in. diam. bears N 35 1/2 E 71 lks. dist. &  
 a Do 13 " " " N 84 W 12 1/2 " "  
 Land mostly same. North of Rolling. Timber  
 W. & B. Oak.

East On Random between Secs. 13 & 24.

61. 60 To Marsh

67 50 Leave same

80 44 Intersect E. Boundary 77 links North of Post.

West Connected between Secs. 13 & 24

4. 34 A Hickory 10 in. diam.

40 22 Set a g. Sec post at aver. dist. from which  
 a Hickory 9 in. diam. bears N 67 1/4 E 17 links dist. &  
 a Do 10 " " " S 27 1/2 E 47 1/2 " "

54. 72 A W. Oak 24 " "

65. 44 An Ac. Oak 12 in. diam.

80 44 To the Corner

Land Rolling 3<sup>rd</sup> note. Timber. W & B Oaks

North Between Secs. 13 & 14.

26. 11 A W. Oak 20 in. diam. to Marsh 5 chl. wide

40 00 Set a g. Sec post from which

T. 33 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

a W. Oak 24 in. diam. bears S 83° E 44 links dist. &  
 a Do. 20 " " " N 89° W 100 " "  
 41.00 Enter Marsh  
 56.00 Leave same  
 80.00 Set a Post cor. to Sec. 11. 12. 13 & 14 from which  
 a W. Oak 24 in. diam. bears N 37° W 75 links dist. &  
 a Hickory 8 " " " S 7° E 31 " "  
 Land same: Timber. W. & B. Oak. Hickory,

East On Random between Sec. 12 & 13. True line  
 40 22 Set a q. Sec post from which  
 a W. Oak 24 in. diam. bears N 16° W 178 links dist. &  
 a B. Oak 10 " " " S 35° W 233 " "  
 58.42 A W. Oak 18 " "  
 64.50 To Marsh  
 80 44 To True line & set a Post. from which  
 a Tamarac 4 in. diam. bears S 30° W 9 links dist. &  
 " no other tree near.  
 Land & same

North Between Sec. 11 & 12  
 34.77 A B. Oak 18 in. diam.  
 40.00 Set a q. Sec post from which  
 a W. Oak 30 in. diam. bears S 19° W 54 links dist. &  
 a Do. 24 " " " N 71° E 131 " "  
 74.24 A W. Oak 20 " "  
 80.00 Set a Post cor. to Sec. 1. 2. 11 & 12 from which  
 a B. Oak 20 in. diam. bears N 11° W 79 links dist. &  
 a W. Oak 20 " " " S 59° E 81 1/2 " "  
 Land & same as last mile.

East On Random between Sec. 1 & 12  
 63.00 Whentleberry Marsh.  
 Offset S 64° E. 850  
 N 36° E. 459  
 73.36 Fall into line

T 33. N. R. 8 E. 2nd Mer. Indiana.

345

80 10 Intersect E. Boundary 1.68 links N. of the Post.

Wab Connected between Sec. 1 & 2

5. 84 A B. Oak 12 in. diam.

21. 28 A Cr 18 " "

40 05 Set a gr. Sec. post from which  
a B Oak 30 in. diam. bears N 35 $\frac{1}{2}$  E 79 links dist. &  
a Cr 18 " " " S 67 $\frac{1}{2}$  E 40 " "

42. 74 A W. Oak 24 " "

58. 48 A W Oak 20 " "

50 10 To Sec. corner.

Land & same

North Between Sec. 1. & 2

32. 04 A Hickory 9 in. diam.

40. 00 Set a gr. Sec. post from which  
a Hickory ~~5~~ in. diam. bears S 48 $\frac{1}{2}$  W 39 links dist. &  
a Cr 4 " " " S 30 $\frac{1}{2}$  E 9 " "

40 75 A Trail course W.

45 50 To Tamarac Swamp.

60 50 Leave same

62. 75 A W Oak 10 in. diam.

72. 44 Intersect the North Boundary 12.73 links East  
of the Post. Set a Post from which  
a W Oak 18 in. diam. bears S 42 $\frac{1}{4}$  W 28 links dist. &  
a Hickory 10 " " " S 19 E 35 $\frac{1}{2}$  " "

Land & same July 4<sup>th</sup>. 1834.

North Between Sec. 34 & 35.

5. 50 Leave Swamp

32 33 A W. Oak 18 in. diam.

40. 00 Set a gr. Sec. post from which  
a W. Ash 8 in. diam. bears S 70 $\frac{1}{2}$  W 10 $\frac{1}{2}$  links dist. &  
a Cr 8 " " " N 72 $\frac{1}{2}$  E 23 " "

45. 83 A Poplar 18 " "

53. 00 To Swamp



T33. N. R. & E 2<sup>nd</sup> Mer. Indiana.

- 5.50 Leave the Swamp.  
 32 33 A W. Oak 14 in. diam.  
 62.82 A Brook 4 links wide. Course S.E.  
 65.37 A Do 10 " " " " S.E. & Leave Swamp.  
 78.00 Enter Millen Swamp.  
 80.00 Set a Post Cor. to Sec. 26 27. 34 & 35 from which  
 an Elm 5 in. diam. bears S. 78° W. 4.4 links dist. &  
 a Millen 3 " " " " S 61° E 67 " "  
 Land 2<sup>nd</sup> rate. Broken. Timber Oak. Ash.  
 Elm. Millen & Cherrwood.

East On Random between Sec. 26 & 35.

- 7.00 Leave the Swamp.  
 17.50 To Tamarac Swamp.  
 32.00 Leave Do.  
 73.00 A Brook 2 links wide. Course North.  
 80 73 Intersect N & S line 1.20 links North of the Post.

West Corrected between Sec. 26 & 35.

- 19.57 A B. Oak 20 in. diam.  
 40 36 Set a q. the post from which  
 a Millen 5 in. diam. bears N 49° E 10 1/2 links dist. &  
 a Do 4 " " " " S 42° W 27 " "  
 67.54 A Hickory 12 " "  
 80 73 To the Corner.  
 Land Broken 2<sup>nd</sup> rate. Timber Oak. Hickory.  
 Elm. Tupelos. Huckleb.

North Between Sec. 26 & 27.

- 7.00 Leave Swamp.  
 34.97 A W. Ash 10 in. diam.  
 37.00 To Marsh.  
 40.00 Set a q. the post from which  
 a W. Oak 15 in. diam. bears N. 43° E. 3.53 links dist. &  
 a Do 21 " " " " North 516 " "  
 45.00 Leave the Marsh

# T33. N. R. 8. E. 2<sup>nd</sup> Mer. Indiana.

347

49.24 A Brook 8 links wide. Course N?  
 58.00 To Marsh  
 78.00 Leave same  
 79.07 An R. Oak 10 in. diam.  
 80.00 Set a Post cor. to Sec. 22. 23 26 & 27. from which  
 a W. Oak 18 in. diam. bears N 65 $\frac{1}{2}$  E 12 links dist. &  
 a D. 10 " " " N 45 W 29 " "  
 Land & same

East On Random between Sec. 23 & 26  
 42.82 A Brook 3 links wide. Course N-E.  
 57.34 A D. 2 " " " North.  
 75.00 Enter swamp  
 81.00 Intersect N & S line 41 links North of the Post.

West Connected between Sec. 23 & 26  
 28.32 A Linn 24 in. diam.  
 40.00 Set a g. Sec post at aver. dist. from which  
 a W. Ash 18 in. diam. bears N. 32 W. 39 links dist. &  
 a D. 10 " " " S 6 E 24 " "  
 48.29 An Elm 18 " "  
 58.37 A Poplar 36 " "  
 81.00 To the corner.

Land 2<sup>nd</sup> rate. Broken. Timber. Beech Elm  
 Poplar. Hickory. Sycamores. Horse Brins. &  
 Vines &c. July 5<sup>th</sup> 1834

North Between Sec. 22 & 23.  
 31.00 A Blue Ash 10 in. diam.  
 38.27 A Hickory 10 " "  
 40.00 Set a g. Sec post from which  
 a Hickory 14 in. diam. bears S 52 $\frac{1}{4}$  W. 32 links dist. &  
 a Beech 9 " " " N. 28 E. 37 " "  
 50.00 Enter Swamp.  
 55.05 A Birch 30 links wide. Course N.  
 68.05 A Maple 18 in. diam.

T33. A. R. & E. 3<sup>rd</sup> Mer. Indiana.

80. 00 Set a post cor. to the? 14 15. 22 & 23 from which  
 a W. Oak 30 in. diam. bears N 68 $\frac{1}{2}$  E 92 links dist. &  
 a Do 20 " " " S 78 $\frac{1}{2}$  E 1.65 " "  
 Land & same

East On Random between the? 14 & 23.

11. 50 Enter Marsh

15. 00 A Brook 3 links wide. Course S E.

17. 50 Leave the Marsh

22. 00 Enter Marsh

36. 50 Leave same

81. 24 Intersect A & S line 93 links North of the Post.

West Corrected between the? 14 & 23

2. 08 An Ac. Oak 12 in. diam.

23. 14 A W. Oak 40 " "

40 52 Set a gr. Sec. post at aver. dist. from which  
 a W. Oak 18 in. diam. bears N. 41 W. 99 links dist. &  
 a Do 20 " " " S 54 W 80 " "

42. 14 An Ac. Oak 10 " "

81. 24 To Sec. Corner,

Land Rolling 3<sup>rd</sup> rate. Timber. W. & B. Oak.  
 Hickory &c.

North Between the? 14 & 15.

5. 00 Leave the Marsh

8. 04 A B. Oak 20 in. diam.

13. 50 Enter Marsh

22. 50 Leave the same

30 10 A Trail. E to W. & Enter Marsh

40. 00 Set a gr. Sec. post in Marsh. from which  
 a W. Oak 18 in. diam. bears S 60 W. 1.57 links dist. &  
 a Do 20 " " " S 41 $\frac{1}{2}$  W. 1.73 " "

46. 00 Leave the Marsh

52. 79 A W. Oak 12 in. diam.

70. 25 Enter Marsh.

# T 33 N. R. 8 E 2<sup>nd</sup> Mer. Indiana.

349

78.00 Leave the Marsh  
80.00 Set a Post cor. to Sec. 10 11. 14 15 from which  
a W. Oak 12 in. diam. bears S. 57 1/4 W. 7 links dist. &  
a Do 18 " " " N. 72 1/2 E. 54 " "  
Land & rate. Timber. B. & W. Oak. Hickory. &c.

East On Random between Sec. 11 14.  
81.13 Intersects N 45 line 38 links North of the Post.

West Connected between Sec. 11 14.  
40.56 1/2 Set a g. Sec. post at aver. dist. from which  
a Hickory 10 in. diam. bears S. 55 1/2 W. 52 links dist. &  
a Do 4 " " " N. 13 E. 1.25 " "  
~~A W. Oak 12 in. diam. error~~

57.65 A Do 12 " "  
81.13 To Sec. corner.  
Land & Timber same.

North Between Sec. 10 11.  
40.00 Set a g. Sec. post from which  
a Hickory 8 in. diam. bears N. 8 1/4 E. 44 links dist. &  
a W. Oak 10 " " " S. 61 1/2 W. 51 " "  
70.95 A Hickory 8 " "  
80.00 Set a Post cor. to Sec. 2. 3. 10 11 from which  
a W. Oak 24 in. diam. bears N. 61 W. 107 links dist. &  
a Do 30 " " " S. 16 1/4 E. 1.21 " "  
Land & same.

East On Random between Sec. 2 11.  
10.57 Enter Swamp.  
53.07 Leave same  
80.93 Intersect N 45 line at Post.

West Connected between Sec. 2 11.  
40.46 Set a g. Sec. post at aver. dist. from which  
a W. Oak 30 in. diam. bears N. 59 1/2 E. 73 lks. dist.



T. 33 N. R. 8 E 2<sup>nd</sup> Mer Indiana.

No other tree near  
 80. 93 To Sec. corner.  
 Land except Swamp same. Timber in swamp  
 Tamarac & Willow July 1<sup>st</sup> 1834

North Between Sec. 2 & 3

27. 50 To Marsh

36. 50 Leave same

37. 42 A B Oak - in. diam.

40. 00 Set a q. Sec post from which  
 a Hickory 10 in. diam. bears S 36 $\frac{1}{2}$  W 23 links dist &  
 a Do 12 " " " N 81 E 75 " "

41. 90 A trail from E to W

64. 02 An R. Oak 24 in. diam.

71. 50 Intersect the North Boundary 11 39 links E of Post  
 Set a Post cor. to Sec. 2 & 3 from which

a Sugar 12 in. diam. bears S 32 $\frac{1}{2}$  E 42 links dist &  
 a Do 24 " " " S 27 W 33 " "

Land North of Swamp 2<sup>nd</sup> rate. Timber Ash  
 Buck. Sugar. Oak, &c. South of the Swamp 3<sup>rd</sup>  
 rate. Rolling Timber W. & B. Oak.

West On line between Sec. 3 & 10

12. 50 To Marsh

21. 00 Leave same

21. 68 A Hickory 12 in. diam.

40. 77 Set a q. Sec post from which  
 a B. Oak 20 in. diam. bears S 11 $\frac{1}{2}$  E 24 links dist &  
 a Hickory 12 " " " N 39 $\frac{1}{2}$  W 23 " "

59. 42 Intersect E. line of Fletchell's Reserve and  
 set a Post from which

a B. Oak 24 in. diam. bears N 40 $\frac{1}{2}$  E 79 links dist &  
 a W. Oak 30 " " " S 13 $\frac{1}{2}$  E 90 $\frac{1}{2}$  " "

Measured South along said line to the end thereof  
 Land 3<sup>rd</sup> rate. Rolling Timber W. & B. Oak.  
 Hickory &c.

North Between Sec. 33. & 34

7. 50 Enter Swamp.

12. 00 Leave same

24. 40 A B. Ash 14 in. diam.

115. 00 Set a gp. Sec post from which  
a Sugar 18 in. diam. bears S. 32 $\frac{1}{2}$  E. 7 links dist. &  
an H. Oak 36 " " " S 75 $\frac{1}{2}$  W 41 " "

52. 50 Enter Willow Swamp.

50. 83 A W. Oak 20 in. diam. & leave the swamp.

80. 00 Set a Post cor. to Sec. 27 & 28\* from which (\*33 & 34)  
a Beech 16 in. diam. bears E. 80 $\frac{1}{4}$  E. 8 links dist. &  
a Do 18 " " " S. 65 $\frac{1}{2}$  W. 28 $\frac{1}{2}$  " "  
Land Rolling 2<sup>nd</sup> rate. Timber. Beech. Oak.  
Ash. Ironwood. Sugar &c.

Q 15 On Random between Sec. 27 & 34.

57. 50 Enter Marsh

61. 50 Leave same

72. 00 Enter Marsh

80. 19 Intersect A & S line 20 links North of the Post.

West Connected between Sec. 27 & 34.

19. 10 An Aspen 10 in. diam.

40 09 $\frac{1}{2}$  Set a gp. Sec post at a cor. dist. from which  
a Beech 12 in. diam. bears S. 42 $\frac{1}{2}$  W. 41 links dist. &  
an Elm 10 " " " S. 34 $\frac{1}{2}$  E. 44 $\frac{1}{2}$  " "

52. 07 A Hickory 8 " "

60. 06 A Beech 10 " "

80 19 To Sec. corner.

Land West  $\frac{1}{2}$  same. East  $\frac{1}{2}$  Willow Swamp.

July 7<sup>th</sup> 1834.

North Between Sec. 27 & 28

15 05 A Brook 6 links wide. Course N.E.

17. 74 A Sugar 20 in. diam.

39. 00 To Willow Swamp.

T33 N. R. & E 2<sup>nd</sup> Mer. Indiana.

- 40.00 Set a gr. Sec. post from which  
a B. Ash <sup>10</sup>/<sub>32</sub> in. diam. bears S 5 1/4 W 32 links dist &  
a Do 20 " " " N. 41 E. 16 1/2 " "
- 51.00 Leave the Swamp.
- 57.45 An R. Oak 36 in. diam.
- 80.00 Set a Post cor. to Secs. 21. 22 27 & 28 from which  
a Beech 18 in. diam. bears N. 18 W. 39 links dist &  
a Do 20 " " " N. 82 1/2 E. 42 " "  
Land Rolling 2<sup>nd</sup> rate. Timber Beech Oak. Elm  
Ironwood. Spice &c. Undergrowth Hick. Huckle. &c.

East On Random between Secs. 22 & 27.

- 33.00 To Marsh.
- 37.90 A Brook 10 links wide. Course N.
- 41.50 Leave the Marsh
- 70.00 To Marsh
- 75.00 Leave same
- 80.40 Intersect the N-S line 45 links North of the Post.

Note Connected between Secs. 22 & 27.

2. 84 A B Oak 25 in. diam.
- 40 23 Set a gr. Sec. post from which  
a W. Oak 18 in. diam. bears N. 1/2 E. 123 links dist &  
a Do 24 " " " S 80 1/2 E. 181 " "
- 54.00 A W. Oak 10 " "
- 80 40 To Sec. Corner.  
Land &c same.

North Between Secs. 21 & 22.

- 16.47 A W. Ash 10 in. diam.
- 22 97 A Beech 24 "
- 40 00 Set a gr. Sec. post from which  
a W. Oak 8 in. diam. bears S 75 1/2 W 30 1/2 links dist &  
a W. Ash 12 " " " N. 39 1/2 E. 22 " "
- 58.20 A W. Oak ~~12~~ 12 "
- 80.00 Set a Post Cor. to Secs. 15. 16. 21. & 22 from which





## T 33 N. R. 8 E 2nd Mer. Indiana.

- 26.50 To Creek 60 links wide. Course N. E.  
 28.00 Leave Creek on same side.  
 32.50 To Creek 75 links wide. Course W.  
 40.00 Set a g. The post from which {Leave Marsh}  
 a W. Oak 20 in. diam. bears N. 5 E 40 links dist. &  
 a Do 20 " " " N 82 1/2 E 15 " "  
 41 17 A W. Oak 12 " "  
 58.42 A B. Oak 10 " "  
 79 85 Mail. Course S. W.  
 80.00 Set a Post Cor. to Sec. 9. 10. 15 & 16 from which  
 a W. Oak 18 in. diam. bears N 21 E 33 links dist. &  
 a Do 20 " " " S 15 W 148 " "  
 Land S. of Marsh same North of Marsh. W. &  
 B. Oak. Hickory &c. Rolling 3 rate.

- East On Rangein between Sec. 10 & 15.  
 28.00 To Marsh  
 37.00 Leave same  
 41 00 To Marsh  
 42.00 A Brook 6 links wide. Course South  
 43.50 Leave Marsh  
 60 00 To Marsh  
 80.00 Leave same.  
 80 96 Intersect the N & S line 20 links North of Post.

- West Connected between Sec. 10 & 15  
 40 48 Set a g. The Post at area dist. from which  
 a B. Oak 20 in. diam. bears S 66 W 13 lbs. dist. &  
 a Do 20 " " " S 40 W 65 " "  
 80 96 To Sec. corner  
 Land &c same as N 1/2 of last mile  
 July 18<sup>th</sup> 1834

- North Between Sec. 9 & 10  
 11.40 A B. Oak 18 in. diam.  
 24.50 To Marsh.

T. 33. N. R. 8. E. 2<sup>nd</sup> Mer. Indiana.

- 29.70 To Lake  
 36.74 Over Dr & Marsh  
 41.10 Set a gr. the post from which  
 a W. Oak 18 in. diam. bears S  $3\frac{1}{2}$  W  $24\frac{1}{2}$  links dist.  
 a B Oak 8 " " " S  $45$  E  $26$  " "  
 54.30 Intersected South side of Miami Reservation  
 at Flatley's Village. & set Post from which  
 a W. Oak 18 in. diam. bears S  $55\frac{1}{2}$  E  $30\frac{1}{2}$  links dist.  
 a Dr 20 " " " S  $52$  W  $81$  " "  
 Measured East along said line 2231 to the east  
 end thereof  
 Land &c same.

## North Between Secs 32 &amp; 33

3. 50 To Miller Swamp  
 13. 50 Leave same.  
 18. 15 A Brook 4 links wide. Course S W.  
 21. 25 A Spruce 8 in. diam.  
 30. 58 An Elm 18 " "  
 35. 53 A Beech 18 " "  
 40. 00 Set a gr. the post from which  
 an Elm 7 in. diam. bears S  $72\frac{1}{4}$  E  $12$  links dist. &  
 a Beech 12 " " " S  $47\frac{1}{2}$  W  $31$  " "  
 80. 00 Set a Post Cor. to Secs 28. 29 32 & 33 from which  
 a Beech 9 in. diam. bears S  $36$  E  $41$  links dist. &  
 a Dr 20 " " " S  $26\frac{1}{2}$  W  $32\frac{1}{2}$  " "  
 Land Rolling 2<sup>nd</sup> rate. Timber. Beech Ash  
 Oak. Elm. Chowwood. Undergrowth &c.

## East On Ransom between Secs 28 &amp; 33.

0. 35 A Brook 3 links wide. Course S W.  
 2. 18 Do 3 " " " S W.  
 79. 90 Intersect the S 45 line 26 links North of Post.

## West Connected between Secs 28 &amp; 33.

10. 14 A Beech 12 in. diam.

## T33. N. R. &amp; E. 2nd Mer. Indiana.

- 19.93 An Elm 12 in. diam.  
 39.95 Set a q. Sec post at area. dist. from which  
 a Beech 18 in. diam. bears N 10 1/2 E 10 1/2 links dist. &  
 a Qc 17 " " " S 10 3/4 W 7 " "  
 45.00 A Beech 18 " "  
 79.90 To Sec. corner.  
 Land &c same.

- North Between Secs 28 & 29.  
 0. 10 A Brook 3 links wide. course N.  
 2. 50 A Beech 20 in. diam.  
 14 70 A Spruce 20 " "  
 22. 75 A W. Walnut 20 in. diam.  
 36. 75 Enter Willow Swamp.  
 36. 50 Same same.  
 40. 00 Set a q. Sec post from which  
 an Qc. Oak 25 in. diam. bears N. 70 1/2 W 6 lks. dist. &  
 a W. Ash 8 " " " S 61 E 30 1/2 " "  
 40 13 A Brook 4 links wide. course N.E.  
 44. 03 An Elm 18 in. diam. —  
 62. 41 A Y. Oak 24 " "  
 73. 09 An Ironwood 4 in. diam.  
 80. 00 Set a Post cor. to Secs 19. 20. 29 & 30 from which  
 an Elm 12 in. diam. bears N. 6 E. 41 links dist. &  
 a Maple 20 " " " S. 6 1/2 W. 21 1/2 " "  
 Land &c same

- East On Random Between Secs 21 & 28.  
 21. 00 To Marsh  
 29. 50 Same same  
 47. 25 A Brook 30 links wide course N.W.  
 80. 38 Intersect N & S line at Post.

- Note Connected between Secs 21 & 28  
 32. 00 A Beech 10 in. diam.  
 40. 19 Set a q. Sec post from which

357

T. 33. N. R. 8. E. 2nd Mer. Indiana.

- an Ro. Oak 20 in. diam. bears S 62 $\frac{1}{2}$  W 11 lbs. dist. &  
 a W. Ash 10 " " " N 30 E 46 " "
57. 17 A Poplar 12 " "  
 60. 52 An Elm 20 " "  
 68. 19 An Ro. Oak 12 " "  
 80. 38 Dr. Sec. Corner,

Land & same as last mile

- North Between Sec. 20 & 21.  
 2. 00 To Inamp.  
 9. 84 An Elm 18 in. diam.  
 14. 00 To Inamp.  
 18. 50 A Brook 6 links wide. Course N. E.  
 32. 50 A D. 25 " " " West.  
 40 00 Set a g. Sec post from which  
 a Poplar — in. diam. bears S 40 $\frac{1}{2}$  E 13 lbs. dist. &  
 a Burr Oak 24 " " " N. 62 $\frac{1}{2}$  W 15 " "  
 55 50 An Elm 20 " "  
 80. 00 Set a Post cor. to Sec. 16. 17. 20 & 21 from which  
 a Beech 10 in. diam. bears S 68 $\frac{1}{2}$  W 8 links dist. &  
 a W. Ash 18 " " " N. 57 E 40 " "
- Land & Timber same.

- East On Random between Sec. 16 & 21  
 40. 04 Intersect Pond  
 57. 83 Over Pond  
 61. 00 Leave Marsh  
 80. 50 Intersect the N & S line 38 links N. of Post.

- West Connected between Sec. 16 & 21  
 4. 87 A W. Ash 20 in. diam.  
 20. 65 An Elm 18 " "  
 40. 28 Set a g. Sec post at a cor. dist. from which  
 a Butternut 9 in. diam. bears N 59 E 17 lbs. dist. &  
 an Elm 9 " " " S 26 W 20 " "  
 44. 47 A Lynn 30 " "



T 33. A R. 8 E 2<sup>nd</sup> Mer. Indiana.

67.44 A Beech 26 in. diam.

80.50 To Sec. corner.

Land &amp;c same as last mile.

North Between Sec. 16 &amp; 17

4.04 A Beech 18 in. diam.

19.50 To Marsh

21.50 A Creek 200 links wide. Course N.W.

31.00 Leave the Marsh

33.00 Enter Marsh

40.00 Set a q. Sec. post from which

a W. Oak 24 in. diam. bears S 50 $\frac{1}{4}$  E. 1.28 links dist.a Do 20 " " " N 1 $\frac{1}{4}$  E 9.88 " "

49.50 Leave Marsh

50.20 A W. Oak 18 in. diam.

56.50 To Marsh

73.00 A Trail E to W.

80.00 Set a Post cor. to Sec. 8 q. 15 &amp; 17 from which

a W. Oak 8 in. diam. bears N 23 E 14 $\frac{1}{2}$  lks. dist. &a B. Oak — " " " S 22 W 54 $\frac{1}{2}$  " "Land South of Marsh same. North of Marsh  
Rolling Timber W. B. Oak, Hickory &c.

East On Randem between Sec 9 &amp; 10

14.04 A Trail from N.E. to S.W.

21.50 To Marsh

28.00 Leave same

80 q 3 Intersect N &amp; S line 10 links South of Post.

West Corrected between Sec 9 &amp; 10

40.46 $\frac{1}{2}$  Set a q. Sec. post at a cor. dist. from which

a W. Oak 20 in. diam. bears N. 25 W. 41 links dist. &amp;

a B. Oak 18 " " " S 15 $\frac{1}{4}$  E 15 " "

44.70 A W. Oak 24 " "

61.10 A Do 18 " "

80.93 To Sec. corner.

Land same.

# 359

## T33 N. R. & E 2<sup>nd</sup> Mer. Indiana

North Between Sec. 8 & 9.

1. 57 Am R. Oak 4 in. diam

16. 10 A Do 10 " "

27. 00 To Marsh

40. 00 Set a gr. Sec post from which  
a B. Oak 9 in. diam. bears N 46 1/4 E 86 1/2 links dir. &  
a Do 20 " " " S 27 1/4 E 147 " "

41. 00 Leave the Marsh.

47. 44 Am R. Oak 6 in. diam.

54. 09 Intersect North side of Flat Bellys. Reserve and  
set a Post from which  
a W Oak 18 in. diam. bears S 78 W 46 links dir. &  
a Do 25 " " " S 6 1/2 E 198 " "  
Run the same

July 20<sup>th</sup> 1834.

North Between Sec. 31 & 32

21. 50 A Sugar 24 in. diam.

40. 00 Set a gr. Sec post from which  
a Beech 12 in. diam. bears N 29 E 18 links dir. &  
a Do 18 " " " S 78 W 37 " "

41. 09 A Beech 18 " "

51. 13 A Brook 6 links wide. Course W

58. 34 A B. Walnut 30 in. diam.

63. 43 A Beech 18 " "

78. 30 A Brook 5 links wide. Course W

80. 00 Set a Post cor. to Sec. 29. 30. 31 & 32 from which  
a W. Oak 18 in. diam. bears North 22 links dir. &  
a Do 20 " " " S 30 1/2 E 12 " "  
Land part 1<sup>st</sup> & part 2<sup>nd</sup> sec. Timber. Oak,  
Ash. Sugar Spruce, & Dogwood. Underg<sup>th</sup> Spice

East On Random between Sec. 29 & 32

0. 70 A Brook 6 links wide. Course S W

76. 20 A Do 4 " " " N W

80. 00 Do 5 " " " S W

T 33 N. R. 8 E 2<sup>nd</sup> Mer. Indiana.

81. 00 Intersect N & S line 8 links North of Post.

Note Connected between Sec. 29 & 32

8. 35 A Beech 10 ins. diam.

27. 36 A Sugar 18 " "

40. 50 Set a g. Sec post from which  
a Beech 18 ins. diam. bears S 72 W 35 links dist. &  
a Do 24 " " " N 49 E 11 " "

43. 13 A Hickory 6 " "

60 85 An R. Oak 30 " "

81-00 To Sec Corner.

Land &c same.

Note Between Sec. 30 & 31 On Standard

14. 00 To Swamp.

26. 00 Large Do.

70. 00 To Marsh

72. 25 A Oak 20 links wide. Course N.

73. 87 Intersect West Boundary at Post.

East Connected between Sec. 30 & 31.

A W. Oak 20 ins. diam. bears S 19 1/2 E 96 links dist. &  
a Do 12 " " " S 15 1/2 E 95 " "

8. 44 A B. Oak 18 " "

19. 75 A W Oak 10 " "

33. 87 Set a g. Sec post from which  
a W. Ash 20 ins. diam. bears S 22 E 69 links dist. &  
a Hickory 7 " " " N. 4 1/4 E 38 " "

73. 87 To Sec. Corner.

Land East of Swamp same West of swamp.  
3<sup>rd</sup> note, Timber W. Oak. Sassafras. Vines. &c.

North Between Sec. 29 & 30

19. 14 A Beech 10 ins. diam.

25. 68 A B Walnut 30 ins. "

40. 00 Set a g. Sec Post from which

361

T 33 N. R. 8. E 2<sup>nd</sup> Mer. Indiana.

W. Ash 10 in. diam. bears S. 40 $\frac{1}{2}$  E 34 lks. dist & a  
 Do 20 " " " " S. 57 $\frac{1}{2}$  W 20 " "  
 40. 80 A Blue Ash 10 in. diam.  
 58. 17 An Elm 30 " "  
 80. 00 Set a Post cor. to Sec. 19. 20 29 & 30 from which  
 a W. Ash 10 in. diam. bears N 56 $\frac{1}{2}$  W 32 links dist &  
 a Do 10 " " " " S. 57 $\frac{1}{2}$  E 35 $\frac{1}{2}$  " "  
 Land the same July 21<sup>st</sup> - 1834

---

East On Random between Sec. 20 & 29  
 53. 00 To Marsh  
 58. 00 Same same  
 81. 20 Intersect N & S line 30 links South of Post.

---

West Corrected between Sec. 20 & 29.  
 9. 10 A Maple 20 in. diam.  
 24. 05 A Hickory 20 " "  
 23. 04 An Elm 12 " "  
 40. 60 Set a gr. Sec post at aver. dist. from which  
 a Maple 10 in. diam. bears S 16 E 13 links dist &  
 a Do 18 " " " " N. 34 $\frac{1}{2}$  W 11 $\frac{1}{2}$  " "  
 46. 34 A Linn 18 " "  
 61. 47 A Beech 10 " "  
 81. 20 To Sec corner.  
 Land 2<sup>nd</sup> rate. Rolling. Cumber. Beech.  
 Oak Ash. Ironwood. Spice. &c.

---

West On Random between Sec. 19 & 30  
 24. 00 A Brook 4 links wide. Course N W  
 36. 29 A Do 2 " " " North  
 46. 43 Do 4 " " " S W  
 57. 40 Do 4 " " " North  
 56. 10 Do " " " " S W  
 58. 10 Do " " " " North  
 69. 50 Enter Marsh  
 70. 15 Intersect West Boundary 1.21 lks North of the Post



## T 33 N. R. &amp; E. Ma. Mer. Indiana

East Connected between Sec. 19 &amp; 20

A W. Oak 18 in. diam. bears S 9 1/2 E 82 lbs dist. &  
a Do 15 " " " S 15 1/2 E 116 " "

16 81 A W. Oak 20 " "

36 15 Set a y. Sec. post from which

a Buck 26 in. diam. bears S 11 W 5 links dist. &  
a Blue Ash 18 " " " N. 4 1/4 W. 47 " "

38 86 A B. Walnut 12 in. diam.

56 06 A B Oak 18 " "

76 15 To Sec. corner,

Land &amp;c same

North Between Sec. 19 &amp; 20

15. 07 A Brook 6 links wide. course S W.

30. 20 A W. Oak 18 in. diam.

33. 09 A Do 8 " "

40. 00 Set a y. Sec. post from which

a W. Oak 18 in. diam. bears N. 88 1/2 W. 4 1/2 links dist. &  
a Do 20 " " " N. 75 E 41 " "

49. 38 An R. Oak 12 in. diam.

74. 05 A W. Oak 30 " "

80. 00 Set a Post cor. to Sec. 17. 18. 19 &amp; 20 from which

a W. Oak 15 in. diam. bears S 59 1/2 W. 62 lbs dist.  
a Do 15 " " " N. 10 1/2 E. 7 1/2 " "Land South 1/2 1<sup>st</sup> rate. Rolling. Timber. Sugar  
Oak. Ash. Ironwood. Spice, &c. North 1/2 mile  
Rolling 3<sup>rd</sup> rate. Timber W & R Oak

East On Random between Sec. 17 &amp; 20

27. 07 To Swamp

37. 00 Leave same

81. 12 Intersect the N &amp; S line. 50 links North of Post.

West Connected between Sec. 17 &amp; 20. bar. 4. 37 E.

5 10 A Poplar 35 in. diam.

22. 52 An Ironwood 8 " "

363

T 33. N. R. & E 2<sup>nd</sup> Mer. Indiana.

10. 56 Set a gr. Sec post across. dist from which  
an Elm 12 in. diam. bears N 66 $\frac{1}{2}$  E 10 $\frac{1}{2}$  links dist  
a W. Ash 19 " " " S 23 $\frac{1}{4}$  W 39 " "

81. 12 To the corner.

Land East  $\frac{1}{2}$  mile. 2<sup>nd</sup> rate. Timber. Oak. Ash  
Sugar. Maple Beech. &c. West  $\frac{1}{2}$  mile 3<sup>rd</sup> rate.  
W. & R. Oak.

West On Rancern between Sec. 18 & 19.

1. 50 To Marsh

5. 90 A creek 50 links wide. Course S W

12. 83 Do 40 " " " S W

23. 75 Do 40 " " " S W

25. 50 Do 40 " " " S W

27. 50 Do 30 " " " South

29. 00 Do 30 " " " S W

34. 70 A Spring Run 2 links wide. Course N.

37. 10 A creek 40 links wide. Course S W

37. 75 Leave creek on same side.

39. 00 A creek 40 links wide. Course S W

42. 50 Leave the Marsh

47. 50 To Marsh

50. 20 A creek 50 links wide. Course N.

52. 50 Leave Swamp.

78. 38. Intersect the West Boundary 6 links North of Post.

East Corrected between Sec. 18 & 19.

a W. Oak 36 in. diam. bears N 59 E 100 links dist

a Do 12 " " " S 30 $\frac{1}{4}$  E 49 " "

4. 56 A W. Oak 12 " "

38. 38 Set a gr. Sec post from which

a Burr Oak 10 in. diam. bears S 77 W 79 links dist

a W. Oak 24 " " " N 10 $\frac{3}{4}$  E 1.42 " "

78. 38 To the corner

Land except Marsh & Creek 3<sup>rd</sup> rate. Broken.  
Timber. W. R. & B. Oak. & Hickory.

T 33 N. R 8 E 2<sup>nd</sup> Mer. Indiana.

North Between Sec. 17 &amp; 18

0. 50 To Marsh  
 3. 50 A creek 50 links wide. Course West. and  
 Leave the Marsh.  
 11. 15 A Sugar, 18 ins. diam.  
 23. 00 A Brook 3 links wide. Course E.  
 35. 47 An Elm 20 ins. diam.  
 40. 00 Set a gr. Sec. post. from which  
 a Beech 10 ins. diam. bears N 33 $\frac{1}{4}$  E 9 $\frac{1}{2}$  links dist. &  
 a Spruce 18 " " " S 55 W 9 " "  
 57. 20 A Sugar 20 " "  
 64. 00 A Trail from E to W.  
 70. 00 To Willow Swamp  
 80. 00 Set a Post cor. to Sec. 7. 8. 17 & 18 from which  
 a Willow 4 ins. diam. bears S. 43 $\frac{1}{2}$  E. 33 $\frac{1}{2}$  links dist. &  
 a Land 2<sup>nd</sup> rate. Rolling. Timber. Beech  
 Sugar. Sheepshead. Oak. Ash. Spice &  
 July 22<sup>d</sup> 1834.

East On Random between Sec. 8 &amp; 17

3. 25 Leave the Swamp  
 80 52 Intersect A & S line at Post.

West Connected between Sec. 8 &amp; 17

29. 00 A Burr Oak 12 ins. diam.  
 40 20 Set a gr. Sec. post at aver. dist. from which  
 an R. Oak 18 ins. diam. bears S. 26 E. 9 links dist. &  
 an Ironwood 8 " " " N. 69 W. 30 " "  
 00 17 A Sugar 30 " "  
 80 52 To Sec. Corner  
 Land Rolling East 20 ch. 3<sup>rd</sup> rate. Timber.  
 W. & R. Oak Hickory &c. West 1<sup>st</sup> rate.  
 Timber. Ash. Sugar. Spruce. Poplar. Spice &c

West On Random between Sec. 17 &amp; 18

9. 50 Leave the swamp.

# T 33. N R. 8 E 2<sup>nd</sup> Mer. Indiana.

365

19. 50 Enter Marsh  
24. 00 Leave same  
80 79 Intersect the West Boundary 40 links North of Post.

East Connected between Sec. 7 & 8  
An R. Oak 24 in. diam. bears S 35 $\frac{1}{2}$  E 60 links dis.  
A W. Elm 18 " " " N 21 $\frac{1}{2}$  E 1.44 " "  
26. 50 A W. Ash 18 " "  
40 79 Set a gr. Sec. post from which  
a Hickory 12 in. diam. bears N 46 E 33 links dis. &  
a Dogwood 8 " " " S 32 $\frac{1}{2}$  W 30 " "  
64. 85 A B. Oak 24 " "  
80 79 To Sec. corner.  
Land Rolling 2<sup>nd</sup> rate Timber. Hickory. Ash  
Syc. W. Oak. &c. Underg<sup>th</sup>. Sassafras  
Vines &c.

North Between Sec 7 & 8  
7. 00 Leave Marsh  
20. 10 An R. Oak 18 in. diam.  
29. 50 Willow Swamp.  
33. 50 Leave same  
37. 00 To Marsh.  
40 00 Set a gr. Sec post from which  
an Ash 8 in. diam. bears N 16 E 135 links dis. &  
a Hickory 18 " " " S 13 $\frac{1}{4}$  W 235 " "  
43. 00 Leave the Marsh  
54 50 Intersect the South Boundary of line of Miami  
Reserve at Flatbelly's Village & set a Post  
from which  
a W. Oak 8 in. diam. bears S 31 $\frac{1}{4}$  E 100 links dis. &  
a Do 24 " " " S 9 W. 168 " "  
Land & Timber same

July 23<sup>d</sup> 1834.



T33 N. R. 8 E. 2<sup>nd</sup> Mer Indiana

Meanders of a Lake in Sec? 25 &amp; 36

Beginning at Post on line between Sec? Ranges  
8. & 9 North side of Lake. Thence

Course Distances

In Sec 36

N 69° W 10.00

N 6° W 8.50

N 18° W 7.00

N 25½° W 3.09 To post on line between Sec? 25 & 36  
East side of Lake. Thence in Sec 25

N 2¾° W 7.50 At 5.00 An Outlet 50 links wide. Course N &amp; E

N 65½° W 5.00

N 87° W 7.50

S 68° W 3.00

S 9¾° E 6.50 At 6.00 An Outlet 5 links wide.

S 17° E 2.50 To post on line between Sec? 25 & 36  
On West side of Lake Thence

S 34½° W 7.50

In Sec. 36

S 7° E 16.50

S 24° W 11.00

S 9¾° E 8.05

S 43¾° E 7.50

S 8¾° W 9.00

S 22½° W 8.50

S 40½° E 8.50 At 230 an Outlet 20 links wide.

S 47½° E 4.00

S 23½° E 3.50

S 39° E 5.57 To post on the South Boundary West  
side of Lake July 3<sup>rd</sup> 1834.

Meanders of High Lake in Sec 13

Beginning at Post on the North side of Lake  
Thence in Sec 13

West 9.50

S 34½° W 17.50

# T 33 N. R. 8 E 2nd Mer. Indiana.

367

S 67 1/2 N 17.00  
 S 22 E 20.50  
 S 25 E 15.00  
 S 38 E 6.50  
 S 75 1/2 E 4.42 To post on Range line South side of Lake

## Meanders of a Lake in Secs 35 & 36

Beginning at Post on line between Secs 35 & 36  
North side of Lake. Thence

N 67 1/4 E 4.50  
 N 67 1/4 E 7.32 In Sec 36  
 N 70 E 7.00  
 S 80 1/2 E 4.50  
 S 12 1/2 E 6.00  
 S 68 1/2 E 5.00  
 S 33 1/2 E 6.50  
 S 18 W 5.42 At 3.00 Outlet 30 links wide. Course S E.  
 S 62 1/2 W 9.50  
 N 81 W 17.00  
 N 62 W 5.20 To post on line on South side of Lake  
 Thence in Sec 35

West 2.50  
 N 52 1/2 W 6.00 At 2.65 Inlet 20 links wide.  
 N 7 1/2 E 4.62  
 N 29 E 3.50 At 1.50 Inlet 5 links wide.  
 N 70 1/2 E 3.50  
 S 61 E 1.82 To place of Beginning.  
 July 6<sup>th</sup> 1834.

## Meanders of a Lake (Lyon) in Secs 15 & 22.

Beginning at Post on line East side of Lake.

S 1 W 3.00 In Sec. 22  
 S 53 1/4 W 2.88  
 S 69 1/4 W 4.95 At 6.2 + 2.40 Inlet 50 links wide.  
 S 25 1/2 W 0.44.

## T 33. N. R. 8 E 2nd Mer. Indiana.

S 39 1/2 W 3.50

S 64 1/2 W 2.50

Note 5.00

S 69 1/2 W 6.00

S 37 W 2.50

S 13 1/2 E 0.00

S 47 1/2 E 0.37

To Post on line west side of Lake.

Thence in Sec 15

S 20 1/2 W 11.50

S 58 1/2 W 7.50

S 38 W 14.50

To Outlet, 150 links wide. Course

S 80 E 14.00

S 64 1/2 E 10.00

At 6.75 Enter, 5 links wide.

S 44 E 12.00

S 15 E 12.50

S 37 1/2 E 10.00

S 21 1/2 E 2.79

To place of Beginning.

July 18<sup>th</sup> 1834.

Surveyed by

R. J. Danson

Dep<sup>y</sup> Surveyor

T 33. N. R. 8 E. 2<sup>nd</sup> Mer. Indiana. 369

I Certify that in pursuance of a contract with  
Micajah T. Williams Surveyor General of the  
United States for the States of Ohio, Indiana &  
the Territory of Michigan bearing date the 10<sup>th</sup>  
day of Jan<sup>y</sup> 1834. and in strict conformity to  
the laws of the United States and the instructions  
of said Surveyor General. I have surveyed  
and subdivided into Sections, Township No  
33. North. of Range No 8 E 2<sup>nd</sup> Mer. Indiana  
and I do further certify that the foregoing are  
the true & original Field Notes of the said  
survey and subdivisions executed as  
aforesaid.

Certified this 23<sup>d</sup> day of July. 1834.

R. J. Dawson  
Dep. Surveyor

Joseph M. Turner  
David Mepler. Chairmen

Markers

I Certify that the foregoing <sup>and following</sup> transcripts of  
the Field Notes of Township No 33 North of  
Range No 8 East of the 2<sup>nd</sup> Mer. Indiana.  
has been compared with the original notes in  
this Office and found to be corrects.

E. Surveyor General's Office

Cincinnati, April 22. 1845

William Johnston  
Surveyor Gen<sup>l</sup>



T. 33 N. R. 8 E. 2<sup>nd</sup> Mer. (Ind. a)

## Subdivisions of Ind. Res. = Var. 6:8

North From South Boundary of Reservation between  
sections 9 & 10

10 00 Pass the Road N.E.

15. 43 A Black Oak 20 in. diam?

17. 50 Enter Willow Pond

20. 00 Leave the same

25. 70 Set Post cor. to Sec. 3. 4. 9 10 from which  
a W. Oak 22 in. diam. bears S. 24 E. 42 links dis. &  
a R. O. 24 " " " S. 83 N. 32 " "

Rolling 3<sup>rd</sup> rate Barrens. Timber, W. Black.  
& Jack Oak. Sapugas. &c.

East On Random between Sec. 3 & 10

7 50 Enter Prairie, Course North.

14. 00 Pass Run. N.W.

16. 00 Indian Trace. Course, North. Leave Prairie

17. 40 Road Course North

22. 80 Intersect N. & S. line 48 links North of Post.

Land same as last. in Prairie Herdsknapp

West Connected between Sec. 3 & 10

N. 88° 45' W.

5. 59 A Black Oak 19 in. diam?

22. 80 To Sec. corner

North Between Sec. 3 & 4

70 Over Branch 15 links wide. Course N.W.

3. 88 A Blk Oak 14 in. diam?

11. 10 A Do 22 " "

14. 69 A Do 24 " "

20. 50 Enter Prairie Course S.E.

23. 00 Leave same & Indian Trace. N.E.

30. 50 Pass Road to Ft. Wayne N.E.

32. 75 Pass South side of Field

40 00 Set 2<sup>nd</sup> Sec Post in Field from which  
a W. Oak 16 in. diam. bears N. 78 W. 252 links dis. &

371

T 33 N R 8 E 2nd Mer. Indiana.

- a W. Oak 25 in. diam. bears S. 86 W. 2, 38 links dist.
63. 50 Enter Run Turkey Creek 14 links wide. Course S W.
65. 50 Leave the Run.
71. 40 Intersect North boundary 580 links East of Post.  
in fence. Set a Post Cor. to Sec? 3 & 4 from which  
a B. Oak 8 in. diam. bears S. 13 W. 2, 88 links dist. &  
a Gr 15 " " " S. 8 E 3, 73 " "  
Land &c same as last mile.  
Leave improvements in Cabin or Sec? 3 & 10

- North From South Boundary of Reservation  
Between Sec? 8 & 9
5. 00 An Indian Trace. Course N W.
23. 05 A Black Oak 20 in. diam.
25. 90 Set a Post Cor. to Sec? 4, 5, 8 & 9 from which  
a W. Oak 30 in. diam. bears N. 88 W. 52 links dist. &  
a Hickory 7 " " " N. 28 1/2 E. 60 " "  
Sec? 3. note Barrens. Timber. Oak. &c,  
Undergrowth Black Jack. & Sassafras

- East On Random between Sec? 4 & 9
46. 00 Enter Prairie N & S
52. 20 Tap Outlet of Lake 40 links wide. Course North.
53. 00 Enter Grove
55. 00 Enter Pond. Course North
67. 25 Leave same & Enter Prairie South
69. 25 Enter Turkey Creek 10 links wide. Course N. E.
75. 00 Leave Prairie & Creek S. W.
77. 00 Leave the Creek S W.
80. 60 Intersect the N & S line 200 links North of Post  
Rolling 3. note Barrens & Wet Prairie  
Timber. Oak. Undergrowth Briers. &c.

- West Connected between Sec? 4 & 9 N 86. 35 W
3. 34 A W. Oak 28 in. diam.
21. 83 A Hickory 11 " "

T 33 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

40. 33 Set a gp. Sec Post at area. dist. from which  
 a Black Oak 24 in. diam. bears S. 78 E. 25 links dist. &  
 a Do 30 " " " N. 41 W. 75 " "
51. 80 A W. Oak 18 " "
80. 60 To Sec. corner

North. Between Sec. 4 & 5

16. 28 To Margin of Lake & set Post from which  
 a Black Oak 16 in. diam. bears S. 51 W. 3. 35 links dist. &  
 a W. Oak 24 " " " S. 3 E. 4. 07 " "
21. 39 To North side of Lake and set a Post. Jan. 13<sup>th</sup>  
 No trees convenient

38. 50 Leave Prairie

40. 10 Set a gp Sec Post. from which  
 a W. Oak 16 in. diam. bears S. 41 E. 19 links dist. &  
 a Do 14 " " " S. 83 W. 53 " "

41. 50 Enter Wet Prairies

46. 50 Leave the same

66. 30 A W. Oak 20 in. diam.

70. 39 Intersect the North Boundary 3. 90 links E.  
 of the Post.

Set a Post. from which  
 a W. Oak 30 in. diam. bears S. 52 E. 70 lks. dist. &  
 a Do 30 " " " S. 10 W. 1. 70 " "

Land Broken 3. rate. Timber Oak. &c.  
 Undergrowth. Grape vines. Green Briars. &c.  
 Herds Graz in Prairies.

January 15<sup>th</sup> 1839

North From the North Boundary of the Reserve  
 Between Sections 7 & 8

11. 20 An Ironwood 12 in. diam.

11. 80 A Poplar 14 " "

25. 50 Set a Post cor. to Sec. 5. 6. 7 & 8 from which  
 a W. Elm 16 in. diam. bears S. 20 E. 47 links dist. &  
 a B. Oak 11 " " " S. 63 W. 23 " "

## T 33 N. R. 8 E 2nd Mer Indiana.

Land rich, gently rolling. Timber Oak, Elm  
Ash, Poplar &c. Undergrowth Sassafras.  
Grape Vines &c.

East On Random between Sec. 5 & 8

14.50 An Indian, Trace. Course, S E.

30.00 Enter Prairie S E.

49.00 Leave same

59.50 Pass Road S E

61.00 Enter Prairie Course North

67.00 Over a Creek 6 links wide; Course North

70.50 Leave the Prairie

80.00 Intersect the N & S line 10 links South of Post.  
Land Rolling 3<sup>rd</sup> rate. Barrens Timber Oak &c.  
Undergrowth. Grape Vines. &c.

West Corrected between Sec. 5 & 8

5.25 A W. Oak, 18 in. diam.

27.00 A Do 10 " "

40.00 Set a gr. See Post from which  
a W. Oak 30 in. diam. bears N 89 E 9.80 links dis. &  
a Blk. Oak 15 " " " N 75 W 4.26 " "

62.57 A W. Oak 16 " "

79.19 A Do. 23 " "

80.00 To Sec. Corner

West Between Sec. 6 & 7 On Random

33.00 Enter Swamp

37.00 Leave same

72.00 Enter Slue 200 links wide; Course, N W.

74.50 Leave the same

78.50 Enter Swamp

80.16 Intersect the North & South line or West  
Boundary 3 links North of the Post.

from which

a W. Elm 10 in. diam. bears N 50 E 36 links dis. &



## T. 33 N. R. 8 E. Twp. 12 N. Indiana.

a W. Elm 16 in. diam. bears S. 19 E. 14 links dis.  
 Rolling rich 2<sup>nd</sup> rate. Timber, Oak, Elm,  
 Ash &c. Undergrowth Sassafras &  
 Grape Vines

East Corrected between Sections 6 & 7  
 21. 10 A W. Elm 10 in. diam.  
 40. 16 Set a 2<sup>nd</sup> Sec Post from which  
 a W. Elm 6 in. diam. bears N. 9 W. 15 links dis. &  
 a Blue Ash 8 in. " " S. 13 E. 24 " "  
 41. 79 A Spruce 24 " "  
 64. 96 A W. Elm 24 in. diam.  
 80. 16 To Sec. Corner

North Between Sec. 5 & 6  
 19. 50 Top South side of a Field.  
 21. 20 A W. Elm 30 in. diam.  
 26. 00 Leave the North side of Field Cabin on L.  
 33. 00 Enter Prairie North  
 39. 60 Leave same  
 40. 00 Set a 2<sup>nd</sup> Sec Post from which  
 a W. Oak 18 in. diam. bears S. 48 E. 27 links dis. &  
 a Blk Oak 20 in. " " S. 68 W. 83 " "  
 44. 50 A W. Oak 50 " "  
 70. 62 Intersect North Boundary 2.90 links East  
 of the Post  
 Set a Post cor. to Sec. 5 & 6 from which  
 a W. Oak 12 in. diam. bears S. 31 W. 50 links dis. &  
 a Do 6 " " " S. 62 E. 30 " "  
 Land gently rolling 2<sup>nd</sup> rate. Timber  
 Oak &c Undergrowth Jack Oak and  
 Grape Vines  
 January 16<sup>th</sup> 1839

## T 33 N. R. &amp; E. Master. Indiana.

## Meanders of Lake in Sec 9

Beginning at gr Sec Post in line between  
Sections 4 & 9 Thence S 70° E 12 ch 34  
links to the Margin of Lake Thence

Courses	Distances	Remarks
---------	-----------	---------

S 70° E	12.54	To Lake Thence
---------	-------	----------------

S 34° E	4.24	
---------	------	--

S 7 1/2° W	3.64	
------------	------	--

N 88° E	10.34	
---------	-------	--

S 43° E	8.84	
---------	------	--

Pass Spring Run 4 links wide, South

N 49° E	4.00	
---------	------	--

N 6 1/2° W	5.00	
------------	------	--

N 53° W	9.18	
---------	------	--

Pass Inlet 14 links wide course South

S 84° W	9.18	
---------	------	--

N 48° W	4.15	
---------	------	--

A 7° W	1.50	
--------	------	--

S 43 1/2° W	2.50	
-------------	------	--

Pass Outlet 50 links wide, North

S 31° E	2.32	
---------	------	--

January 12<sup>th</sup> 1834  
To Place of Beginning

## Meanders of a Lake in Sec. 4 &amp; 5

Beginning at a Post in the South side in  
line between Sec. 4 & 5 Thence

S 38° E	2.00	
---------	------	--

In Sec 4

N 57 1/2° E	34.73	
-------------	-------	--

S 50° E	22.42	
---------	-------	--

At 200 yds mouth of Inlet 50 yds. wide, N.E.

N 40° E	6.18	
---------	------	--

At 600 " " " " 30 yds. wide Cr. N.W.

N 61° W	8.30	
---------	------	--

N 50° W	10.31	
---------	-------	--

N 38° W	26.17	
---------	-------	--

S 74° W	22.81	
---------	-------	--

S 22° W	11.30	To Post in line between Sec. 5 & 10 on North side of Lake. Thence
---------	-------	---

N 24° W	9.92	
---------	------	--

In Sec 5

S 33° W	10.76	
---------	-------	--

At 400 yds Outlet 200 links wide Cr. N.W.

T 33 N R 8 E 2<sup>nd</sup> Mer. Indiana,

Courses	Distances	Remarks
S 60 1/4 E	5.51	
S 27 1/4 E	2.00	
S 75 E	4.45	To Post in North side of Lake in line between Sec. 4 & 5 at place of Beginning

January 16<sup>th</sup> 1839

The Surface of the Land in this Fraction is generally Rolling except the Prairies which are low and wet.

The Land is principally 3<sup>rd</sup> rate, the Soil being very thin, from 2 to 4 feet deep & sandy. The Timber is principally Oak & rather scrubby and scattering.

Meanders of part of Round Lake on Town line in Sec 5		
Begin at Post on Town line on West side of Lake. Thence		
S 14 1/4 W	10.21	Over Spring Run 3 links wide. Course North
S 38 E	17.28	
N 56 E	3.55	
N 4 W	8.63	
N 55 E	3.40	
N 18 1/4 W	5.35	
N 62 1/2 W	1.74	
N 18 E	4.11	At 150 pass Inlet 40 links wide. Course W.
N 26 1/2 W	1.00	To Post on E. side of Lake on Town line, Jan <sup>y</sup> 16 <sup>th</sup> 1839

I hereby Certify that in pursuance of a contract with Rob<sup>t</sup>. J. Lytle Surveyor Gen<sup>l</sup> of the United States bearing date the 10<sup>th</sup> day of May 1838, and in strict conformity to the laws of the United States and instructions of said Surveyor General, I have surveyed & subdivided into Sec<sup>s</sup>. Townships N 33. North. Range N 8 East 2<sup>nd</sup> Mer. Indiana, And I do further Certify that the foregoing are the true & original Field notes of the said survey & subdivisions aforesaid. Certified this 19<sup>th</sup> day of Jan<sup>y</sup> 1839. A. S. Wallace C. S.

David Frazer  
John F. Sims } Chainmen

John D. Johnson, Marker